



# Versatile



Up to 40 pages per minute

Powerful 350 MHz processor

Targeted application solutions

# Lexmark

# T632



Lexmark T632(n)



Lexmark T632tn



Lexmark T632dtn



Lexmark T632dtnf

## Versatile and expandable

---

Up to 200,000 pages per month duty cycle offers the highest duty cycle in its class

---

Expandable media-handling options provide additional flexibility

---

## Low management and operating costs

---

New extra high yield cartridge can print up to 32,000 pages before requiring a replacement

---

MarkVision™ software allows efficient device management

---

## Customized business applications

---

New multifunction options add the convenience of copy, fax and color network scanning capabilities

---

Direct PDF printing and two new standard fonts leverage technology

---

Document solutions suite can help manage information in less time

---

# Versatile workgroup laser printer that handles complex output close to your workspace.

|  | <b>Lexmark T632, T632n, T632tn, T632dtn, T632dtnf</b>  |
|--|--|
| <b>Part Number</b>   | <b>US/Canada</b> 10G0300 (T632), 10G0400 (T632n), 10G1400 (T632tn), 10G1430 (T632dtn), 10G1460 (T632dtnf)  |
| <b>Technology</b>  | Monochrome Laser   |
| <b>Speed</b>   | Up to 40 ppm   |
| <b>Resolution</b>  | 1200 x 1200 dpi, 1200 image quality, 600 x 600 dpi, 300 x 300 dpi  |
| <b>Time to First Page</b>                                      | < 10 seconds   |
| <b>Processor</b>   | 350 MHz  |
| <b>Memory (std./max.)</b>                                      | 64MB/320MB   |
| <b>Connectivity</b>  | Standard: Bidirectional parallel port and USB port standard (T632), 10BaseT/100BaseTX Ethernet, USB standard on "n" models, supports the MarkNet™ X2000 and N2100 series of external print servers<br>Optional: RS-232C Serial Interface Card, Parallel 1284-B Interface Card, 802.11b wireless print adapter ("n" models)   |
| <b>Operating Systems</b>                                       | Microsoft Windows XP, 2000, Me, 98, 95, and NT 4.0, Novell, IBM iSeries, UNIX, Linux and Mac OS<br>For a complete list, visit <a href="http://www.lexmark.com">www.lexmark.com</a>   |
| <b>Compatibility</b>   | PostScript 3 emulation standard, PCL 6 emulation standard, PPDS Migration tool standard  |
| <b>Fonts</b>   | PostScript 3 emulation, 158 scalable<br>PCL 6 emulation, 89 scalable – 2 bitmapped<br>PPDS Migration Tool, 39 scalable – 5 bitmapped<br>Additional PCL 5e scalable fonts include: Code 3 of 9, OCR-A, OCR-B  |
| <b>Paper Capacity</b><br>Standard (in/out)<br>Maximum (in/out) | 600/500<br>4,100/3,000   |
| <b>Paper Options</b>   | Input: 250-sheet drawer, 500-sheet drawer, 2,000-sheet drawer, Envelope feeder<br>Output: StapleSmart™ finisher, Output expander, High capacity output stacker, 5-bin mailbox  |
| <b>Paper Sources</b><br>Standard (in/out)<br>Maximum (in/out)  | 2/1<br>7/11  |
| <b>Multifunction Options</b>                                   | Lexmark 3100 MFP option, Lexmark 3200 MFP option or Lexmark 4500 MFP option  |
| <b>Media Types</b>   | Plain paper, bond, envelopes, card stock, transparencies, paper labels, dual-web labels, polyester labels, vinyl labels  |
| <b>Media Sizes</b>   | Letter, legal, A5, JIS B5, statement, executive and folio  |
| <b>Media Weights</b>   | Plain paper: 16 to 47 lb (60 to 176 g/m <sup>2</sup> )<br>Card stock: up to 110 lb Index (199 g/m <sup>2</sup> )   |
| <b>Size/Weight</b>   | T632: 17.2" x 20.2" x 16" (W x D x H) (436 mm x 513 mm x 406 mm) 41.5 lb (19 kg)<br>T632n: 17.2" x 20.2" x 16" (W x D x H) (436 mm x 513 mm x 406 mm) 41.5 lb (19 kg)<br>T632tn: 17.2" x 20.5" x 21.3" (W x D x H) (436 mm x 522 mm x 522 mm) 48.5 lb (22 kg)<br>T632dtn: 17.2" x 23.4" x 22.3" (W x D x H) (436 mm x 594 mm x 566 mm) 60 lb (27.2 kg)<br>T632dtnf: 17.2" x 23.4" x 35.4" (W x D x H) (436 mm x 594 mm x 899 A43mm) 67 lb (30.4 kg)  |
| <b>Acoustics</b>   | 54 dBA printing; 32 dBA idle   |
| <b>Supplies<sup>1</sup></b>                                    | Ships with:<br>21,000-page Return Program Print Cartridge<br>Optional supplies:<br>5,000-page Return Program Print Cartridge<br>5,000-page Print Cartridge<br>21,000-page High Yield Return Program Print Cartridge<br>21,000-page High Yield Return Program Print Cartridge for Labels<br>21,000-page High Yield Print Cartridge<br>32,000-page Extra High Yield Return Program Print Cartridge<br>32,000-page Extra High Yield Print Cartridge<br>32,000-page Extra High Yield Return Program Print Cartridge for Labels |
| <b>Duty Cycle</b>  | Up to 200,000 pages per month  |
| <b>Warranty</b>  | 1-year LexExpress™   |

<sup>1</sup> Yield is based on approximately 5% coverage

# Order Information Chart

| Part No.                      | UPC             | Description  |
|-------------------------------|-----------------|--|
| <b>US/Canada</b>              |                 |  |
| 10G0300                       | 7-34646-53300-3 | Lexmark T632   |
| 10G0400                       | 7-34646-53400-0 | Lexmark T632n  |
| 10G1400                       | 7-34646-53800-8 | Lexmark T632tn   |
| 10G1430                       | 7-34646-53830-5 | Lexmark T632dtn  |
| 10G1460                       | 7-34646-53860-2 | Lexmark T632dtnf   |
| <b>SUPPLIES</b>               |                 |  |
| <b>Print Cartridges</b>       |                 |  |
| 12A7360                       | 7-34646-11809-5 | 5,000-page Print Cartridge   |
| 12A7460                       | 7-34646-11812-5 | 5,000-page Return Program Print Cartridge                              |
| 12A7362                       | 7-34646-11810-1 | 21,000-page High Yield Print Cartridge                                 |
| 12A7462                       | 7-34646-11813-2 | 21,000-page High Yield Return Program Print Cartridge                  |
| 12A7468                       | 7-34646-11815-6 | 21,000-page High Yield Return Program Print Cartridge for Labels       |
| 12A7365                       | 7-34646-11811-8 | 32,000-page Extra High Yield Print Cartridge                           |
| 12A7465                       | 7-34646-11814-9 | 32,000-page Extra High Yield Return Program Print Cartridge            |
| 12A7469                       | 7-34646-11816-3 | 32,000-page Extra High Yield Return Program Print Cartridge for Labels |
| <b>Media</b>                  |                 |  |
| 70X7240                       | 7-34646-03810-2 | Transparencies (Letter)  |
| 11K3188                       | 7-34646-20993-9 | Staple Cartridges  |
| <b>OPTIONS AND FEATURES</b>   |                 |  |
| <b>Paper Handling Options</b> |                 |  |
| 11K0681                       | 7-34646-28600-8 | 250-Sheet Drawer   |
| 11K0688                       | 7-34646-28601-5 | 500-Sheet Drawer   |
| 11K1059                       | 7-34646-28609-1 | 250-Sheet Tray   |
| 11K1060                       | 7-34646-28610-7 | 500-Sheet Tray   |
| 11K0718                       | 7-34646-28602-2 | 2000-Sheet Drawer (Letter)   |
| 10G0801                       | 7-34646-24998-0 | T 500-Sheet Duplex Unit  |
| 11K0720                       | 7-34646-28604-6 | T Envelope Feeder  |
| 11K0723                       | 7-34646-28607-7 | T Output Expander  |
| 11K1440                       | 7-34646-28611-4 | T High-Capacity Output Stacker   |
| 11K0724                       | 7-34646-28608-4 | T 5-Bin Mailbox  |
| 11K2800                       | 7-34646-24480-0 | T StapleSmart Finisher   |
| 11K1878                       | 7-34646-28626-8 | 250-Sheet Universally Adjustable Drawer                                |
| 11K1574                       | 7-34646-28625-1 | 250-Sheet Universally Adjustable Tray                                  |
| 11K1942                       | 7-34646-39706-3 | 400-Sheet Universally Adjustable Drawer                                |
| 11K1941                       | 7-34646-39707-0 | 400-Sheet Universally Adjustable Tray                                  |
| <b>Memory Options</b>         |                 |  |
| 16H0055                       | 7-34646-24755-9 | 8MB SDRAM  |
| 16H0056                       | 7-34646-24756-6 | 16MB SDRAM   |
| 16H0057                       | 7-34646-24757-3 | 32MB SDRAM   |
| 16H0058                       | 7-34646-24758-0 | 64MB SDRAM   |
| 16H0059                       | 7-34646-24759-7 | 128MB SDRAM  |
| 11K4616                       | 7-34646-12127-9 | 16MB Flash Card  |
| 11K4632                       | 7-34646-12128-6 | 32MB Flash Card  |
| 11K4603                       | 7-34646-12125-5 | 20+GB Hard Disk with Adapter   |

| Part No.                        | UPC             | Description   |
|---------------------------------|-----------------|---|
| <b>APPLICATIONS SOLUTIONS</b>   |                 |   |
| <b>Optra Forms Solutions</b>    |                 |   |
| 11N0052                         | 7-34646-20732-4 | Optra Forms™ Director                                 |
| 11N0040                         | 7-34646-20731-7 | Optra Forms Software                                  |
| 11N0056                         | 7-34646-30810-6 | Optra Forms Manager                                   |
| 10G0748                         | 7-34646-12146-0 | Optra Forms 32MB Flash Card                           |
| 10G0747                         | 7-34646-12145-3 | Optra Forms 16MB Flash Card                           |
| 43H5841                         | 7-34646-17041-3 | Optra Forms 2-Key Security                            |
| 43H5842                         | 7-34646-17042-0 | Optra Forms 3-Key Security                            |
| 10G0749                         | 7-34646-12147-7 | Optra Forms 20+GB Hard Disk with Adapter              |
| <b>Other Options</b>            |                 |   |
| 10G0155                         | 7-34646-12137-8 | T630/T632 ImageQuick™ Card                            |
| 10G0156                         | 7-34646-12138-5 | T630/T632 Bar Code Card                               |
| 10G0157                         | 7-34646-12139-2 | T630/T632 Card for IPDS and SCS/TNe                   |
| 10G0158                         | 7-34646-12140-8 | T630/T632 PrintCryption™ Card                         |
| <b>NETWORK CONNECTIONS</b>      |                 |   |
| <b>Internal Print Servers</b>   |                 |   |
| 14S0000                         | 7-34646-12115-6 | MarkNet™ N2100t Token-Ring                            |
| 14S0020                         | 7-34646-12116-3 | MarkNet N2101e Ethernet 10/100BaseTX                  |
| <b>External Print Servers</b>   |                 |   |
| 46D0060                         | 7-34646-30316-3 | MarkNet X2011e Ethernet 10/100BaseTx – 1-port         |
| 46D0040                         | 7-34646-30315-6 | MarkNet X2012e Ethernet 10/100BaseTx/10Base2 – 1-port |
| 46D0020                         | 7-34646-30357-6 | MarkNet X2031e Ethernet 10/100BaseTx – 3-port         |
| 46D0000                         | 7-34646-30313-2 | MarkNet X2030t Token-Ring – 3-port                    |
| 1010025                         | 7-34646-11802-6 | 802.11b Wireless Print Adapter                        |
| <b>OTHER ATTACHMENT OPTIONS</b> |                 |   |
| <b>Adapters</b>                 |                 |   |
| 11K4601                         | 7-34646-12069-2 | Parallel 1284-B Interface Card                        |
| 11K4602                         | 7-34646-12068-5 | RS-232C Serial Interface Card                         |
| 1368705                         | 7-34646-11309-0 | External Serial Adapter                               |
| <b>Cables</b>                   |                 |   |
| 1329605                         | 0-87944-09056-4 | 10-Foot Parallel Printer Cable                        |
| 1427498                         | 7-34646-13068-4 | 20-Foot Parallel Printer Cable                        |
| 12A2405                         | 7-34646-18340-6 | 2-Meter USB Printer Cable                             |
| 1038693                         | 7-34646-21649-4 | 50-Foot Serial Printer Cable                          |
| <b>MULTIFUNCTION SOLUTIONS</b>  |                 |   |
| <b>Furniture</b>                |                 |   |
| 16C0379                         | 7-34646-12084-5 | Low Profile Printer Stand                             |
| 16C0369                         | 7-34646-12083-8 | Printer Stand with Cabinet                            |
| 16C0389                         | 7-34646-12085-2 | Printer Stand   |
| 16C0399                         | 7-34646-12086-9 | Scanner Stand with Cabinet                            |
| 10G1000                         | 7-34646-38372-1 | T632/T634 Scanner Shelf                               |
| 10G1021                         | 7-34646-38373-8 | T63x Operator Panel Cover                             |
| 10G0080                         | 7-34646-38371-4 | Lexmark T Printer Base                                |
| <b>Multifunction Options</b>    |                 |   |
| 20R0021                         | 7-34646-38277-9 | Lexmark 3100 MFP Option                               |
| 20R0081                         | 7-34646-38313-4 | Lexmark 3200 MFP Option                               |
| 16C0100                         | 7-34646-37085-1 | Lexmark X4500 MFP Option                              |



Lexmark, Lexmark with diamond design, MarkNet, MarkVision and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. ImageQuick, PrintCryption and StapleSmart are trademarks of Lexmark International, Inc. LexExpress is a service mark of Lexmark International, Inc. © Copyright 2003. Lexmark International, Inc. All rights reserved.

