C5800/C5900



11

The new standard in fast, affordable in-house colour printing

	С С С С	58 59 59 59	00 00 00	dn	I																					-		<i>q</i>		
•	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	۰	*	٠	٠	۰	۰	٠	٠	٠	٠	٠	٠	٠	٠	۰	1 million	1 / 11		٠	• •
٠	٠	۰	۰	۰		۰	٠	٠	٠	۰	٠	٠	٠	۰	۰	۰	٠	٠	۰	٠	٠	٠	٠	۰	۰		F# 4	1.1	٠	• •
٠	٠	۰	۰	٠		٠	۰	٠	٠	۰	۰	٠	٠	٠	۰	۰	۰	٠	۰	٠	۰	٠	٠	٠	٠		1	•	٠	• •
٠	*	٠	٠	•		٠	۰	۰	۰	۰	۰	•	•	٠	۰	۰	۰	٠	۰	٠		٠	٠	•	٠		N		٠	• •
٠	٠	٠	٠	٠		•	۰	۰		۰	۰	•	٠	٠	۰	۰	۰	٠	۰			٠	٠	•	٠	I	= 1		•	• •
 ٠	٠	•	٠	٠	٠	٠	•	•	•	٠	٠	٠	٠	٠	٠	۰	٠	٠	•	•	•	٠	۰	•				1.	٠	• •
•	٠	٠	•	٠	٠	٠			•	•	•	٠	٠		٠	٠	•		•	•		٠	٠	•					٠	• •





Business A4 colour and mono printing, giving a competitive advantage to demanding workgroups

The C5800/C5900 are the ultimate printers. As hard working and dependable as you are. Packed with technology to help you improve your abilities. Flexible enough to handle a broader range of media and volumes. Yet efficient enough to save you time and money.

More productive. More creative

The C5800/C5900 are a harmonious combination of hardware, consumables and in-box software, specifically designed for business. OKI Printing Solutions are pioneers in colour and this latest solution will help keep you out in front too. Superior in terms of speed, print quality, flexibility, capacity and ease of use. You can work more productively, creatively and affordably.

For outstanding performance, with everything you need to improve your competitiveness, trust the business printing specialists to give you the edge.




Without Web Print: information can be cut off and extra pages printed



Web Print makes printing web pages easy, saving time & paper

The C5800/C5900 Colour and Mono Printers



Features at a glance	C5800n	C5800dn	C5900n	C5900dn	C5900dtn	C5900cdtn
Colour speed (A4)	26ppm	26ppm	26ppm	26ppm	26ppm	26ppm
Mono speed (A4)	32ppm	32ppm	32ppm	32ppm	32ppm	32ppm
Printer Language	Windows/MA	C host based		PCL/Po	stScript	
Print Quality		ProQ2400 M	lulti-level techno	ology & High Def	inition Toner	
Memory	64	МВ		256	бМВ	
Photo Enhance via Driver	•	•	•*	•*	•*	•*
Web Print	•	•	•	•	•	•
Auto Colour Balance	•	•	•	•	•	•
10/100 Networking	•	•	•	•	•	•
Duplex (for double-sided printing)	0	•	0	•	•	•
2nd paper tray (for 930 sheet max paper capacity)	0	0	0	0	•	•
Cabinet	0	0	0	0	0	•
40GB Hard Disk Drive	N/A	N/A	0	0	0	0



Media versatility - print up to 1.2m banners



Template Manager 2006 – Create & print templates for non-standard media

Handle the day's demands.

- Class-leading print speeds of 32 pages per minute (ppm) mono and 26ppm colour – to maximise business efficiency.
- Fast time to first print at just 8 seconds for a mono page and 9 seconds for a colour page.
- Benefits from proven Digital LED single-pass printing

 reduces jams, increases speed and allows handling
 of a wider variety of paper.
- Print everything from business cards and CD labels to 1.2m long banners and heavyweight papers up to 203gsm.
- Automatic duplex available for professional double-sided printing.
- Phenomenal output with workgroups able to print all day, every day. Offering a maximum duty-cycle of 60,000 pages per month, and maximum paper capacity of 930 pages with the additional second paper tray.

Outstanding quality. Low costs.

- ProQ2400 Multi-level technology and High Definition Toner have been developed in unison. Together they give a higher level of detail, greater colour depth, reduced grain and a high gloss feel.
- Auto Colour Balance gives consistent results throughout the life of the printer.
- Photo Enhance provides stunning photo-like quality on normal office paper.
- High capacity toner cartridges reduce both user intervention and running costs for mono and colour printing.

Exclusive tools. All-inclusive.

- Template Manager 2006 helps you professionally design and print on a range of non-standard media – and to do so with ease. It even manages the printer settings automatically. From business cards, to CD labels, address labels and banners up to 1.2 metres.
- Web Print makes printing web-pages easier. It adjusts text and images to fit on the printed page without cutting off information, saving you paper and hassle.
- Ask OKI dedicated online support, accessed easily via the printer driver.
- Powerful, professional colour management tools also allow you to accurately adjust and match colours.
- PrintSuperVision allows network administrators to remotely monitor all printers on their network and verify toner status.
- Print Control is a powerful network tool to manage colour usage and costs.





Photo Enhance. Delivering the detail on your screen to the print in your hand.

Photo Enhance is a selectable feature within the driver, which allows you to print clear, sharp, photo-like quality pictures on ordinary office paper.

Without Photo Enhance

With Photo Enhance

Why OKI Printing Solutions?

We believe that effective printed communications are fundamental to successful businesses. That's why we focus purely on understanding their diverse printing requirements. Through our considerable technological resources we develop fast, high quality, cost-effective printing solutions that will benefit businesses today and long into the future.

It is the same progressive spirit that drove Kibataro Oki to found Oki Electric in 1881, and which helped his company to become the global, multi-billion euro business that it is today. A business whose people share one single-minded purpose: helping other businesses grow and prosper by enabling them to create the best possible impression with their printed communications. We led the way in making in-house colour printing fast and affordable. Now OKI Printing Solutions lead the way in making it easy. This means more than providing unique technologies and in-built functions like fast, single-pass colour, double-sided printing, and banner printing: it means making those functions as easy to use as possible – first time, every time. We call this **Chromability™ – in-house colour made easy, only from OKI Printing Solutions**. In short, it's about getting the most from your investment.

Our colour-coded segments are designed to help you save time. When you want to add another printing solution to your business, or check out the latest advances in technology on our website, simply use the colour guide below.

Fast, high quality printing with built-in simplicity and reliability

0	۰	۰	۰	٠	۰	٠	٠	۰	٠	۰	٠	٠	٠	٠	۰	۰	٠	٠	٠	٠	۰	٠		٠	٠	۰	۰		٠	٠
٠	٠	۰	•	٠	٠	٠	٠	۰	٠	0	٠		٠	٠	0	0	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	0
•		٠		•	٠	٠	٠	٠	•	٠	٠	٠	•	•	٠	٠	٠	•	٠	٠	٠	•	٠	•	٠	٠	٠	٠	٠	•
٠	٠	۰	٠	*	٠	٠	٠	٠	٠	٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	٠	٠		٠	٠	٠	٠		٠	٠
٠	٠	۰	٠	*	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠
٠	٠	۰	۰	٠	۰	٠	٠	٠	٠	0	٠	٠	٠	٠	0	0	٠	٠	٠	٠	۰	٠	٠	٠	٠	۰	۰	٠	٠	٠
٠	٠	٠	٠	٠	٠	٠	•	٠	٠		٠	٠	٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	
٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	•	٠	٠	٠	٠	٠	٠
۰	٠	۰	۰	*	٠	٠	۰	٠	٠	0	٠	٠	٠	٠	0	•	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠



The C5800/C5900 Colour and Mono Printers

		C5800n	C5800dn	C5900n	C5900dn	C5900dtn	C5900cdtn							
Order number		01181701	01181801	01181901	01182001	01182101	01182201							
Speed & throughput	A4 Print speed			26nnm	colour									
Speed & throughput	, , , , , , , , , , , , , , , , , , ,				n mono									
	Time to first print			8 secon	ds mono									
		9 seconds colour												
	Warm up time		up to 60 s	econds from power on &	up to 45 seconds from p	oower save								
	Processor speed	200	MHz		500	MHz								
Print quality	Resolution	ProQ2400 Multi-level technology												
			1200 x 600dpi Auto Colour Balance. Photo Enhance Auto Colour Balance. Photo Enhance Auto Colour Balance. Photo Enhance											
	Enhancements		ice, Photo Enhance Driver	Auto Colour Balance, Photo Enhance via Driver (excludes Macintosh and PostScript Drivers)										
Typefaces	Printer fonts	N	/A	86 scalable PCL f	onts; 136 PostScript For	nts; Line Printer, OCR-A,E	; USPS Bar Codes							
Compatibility	Printer languages	Windows/MAC Host E	Based Printing System	PCL 6 (XL3.0	and PCL5c, PostScript	3 (clone). SIDM (IBM-PPI	R, EPSON-FX)							
	Connectivity			Hi-Speed USB & 1	0/100-TX Ethernet									
	OS Compatibility	Windows 98 / ME / NT4.0 / 2000 / XP Home / XP Professional / XP Professional x64 / Server 2003 / Server 2003 for x64 / Mac OS 9.0 or greater / Mac OS X PowerPC 10.2 or greater / Mac OS X Intel 10.4.4 or greater *1												
				-										
	Utilities		LPR (Windows Only), net (Windows only),		i LPR (Windows Only), Pr nager 2006 (Windows on									
		Swatch Utility, Tem	plate Manager 2006	Print (Windows on	y), Print Control Server (Windows only), Print Cor	trol Client, Storage							
			Veb Driver Installer Print (Windows only),	Device I	Manager (Windows only)	, Gamma Utility, Profile A	Assistant							
		Print Control Serv	er (Windows only),											
Memory	Std RAM		trol Client MB		256	SMB								
Memory	Max RAM		OMB	256MB 768MB										
	Hard Disk Drive		/ A	Optional 40GB										
Paper handling	Paper capacity tray 1			1 300 sheets of 80gsm. Pa	•									
, ,	Paper capacity optional 2nd tray			-	Paper sizes: A4, A5, B5									
	Paper capacity of	1	00 sheets of 80gsm. Pa	per sizes: A4, A5, B5, A6	, 10 Envelopes (Com-9, C	Com-10, DL, Monarch, C	i),							
	multi-purpose tray	Label	s (Avery 7162, 7664, 76	66), Custom Size (up to	1200mm length includin	g Banners), 50 transpar	encies							
	Standard tray media weight			64 - 1	20gsm									
	Optional 2nd tray media weight			64 - 1	76gsm									
	Multi-purpose tray													
	paper weight			75 – 2	03gsm									
	Duplex	Optional Standard Optional Standard												
	Duplex paper sizes	Supported paper sizes: A4, A5, B5. Supports Custom Size: Width 148 – 215.9mm Length 210 – 355.6mm												
	Duplex paper weight	75 – 105gsm												
	Paper output	250 sheets face down, 100 sheets face up, 80gsm												
Operating conditions	Temperature/Humidity	10°C – 32°C (17°C – 27°C recommended) / 20% to 80% RH (50% to 70% RH recommended)												
	Storage		-10°C – 43°C, 10% to 90% RH											
Power requirements	Power supply	Single phase 220 – 240VAC, frequency 50Hz +/-2%												
	Power consumption	PowerS	ave < 15W	Typical 490W, Peak 120		ave < 17W								
Noise level		1 Ower 58		to 55.6 dB(A), Standby: 🕻										
Dimensions (HxWxD)		339.5mm x 400mm	339.5mm x 400mm	339.5mm x 400mm	339.5mm x	486.5mm x	911.5mm x							
		(max point 435mm)	(max point 435mm)	(max point 435mm)	400mm (max point	400mm (max point	400mm (max point							
		x 528mm (max	x 621mm	x 528mm (max point 563.5mm)	435mm) x 621mm	435mm) x 621mm	533mm) x 621mm							
14/-:		point 563.5mm)	approx 24 line (i l.			annray 261	approx Edher							
Weight			approx 26Kgs (inclu	des all consumables)		approx 36kgs (includes all	approx 51kgs (includes all							
						consumables)	consumables)							
Duty cycle	Printer duty (max) 60,000 pages/month													
	Printer duty (average)	1,500 – 5,000 pages/month												
Warranty	D. I.	0.1	Circle 1		1 year on-site	Circle 1								
Accessories	Duplex	Optional (43347502) Standard Optional (43347502) Standard 64MB (01110301) or 256MB (01110302) 256MB (01182901) or 512MB (01182902)												
	Memory and Trav	64MB (01110301) o		256MB (01182901) or 512MB (01182902)										
	2nd Tray Hard Disk Drive	Optional (43347602) Standa												
	Cabinet	N/A Optional (01184501) Optional (09004436) 0												
	cabilier			or driver release informa			Standard							

*1 Check local OKI Printing Solutions website for driver release information

Consumables Information: For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine Oki toner cartridges. These can be identified by the Oki trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print quality may be degraded. Specification subject to change without notice. All trademarks acknowledged.

Description	Life* (pages)		Orde	er Numbers								
Black toner	6,000	43324424										
Colour toners	5,000	Cyan: 43324423	Cyan: 43324423 Magenta: 43324422 Yell									
Image drum	20,000											
	A4 pages @ 3 pages/job	Black: 43381724	Cyan: 43381723	Magenta: 43381722	Yellow: 43381721							
Transfer Belt	60,000											
	A4 pages @ 3 pages/job	43363402 43363203										
Fuser Unit	60,000 @ A4											

OKI EUROPE LTD.

Central House, Balfour Road Hounslow, Middlesex TW3 1HY United Kingdom T +44(0) 20 8219 2190 F +44(0) 20 8219 2199 WWW.OKIPRINTINGSOLUTIONS.COM

* All toners: A4 pages @ 5%, Printer shipped with 2,250 pages @ 5%. All Drums: A4 pages average life





As an ENERGY STAR Partner, Oki has determined that this product meets the ENERGY STAR guidelines for energy efficiency.